

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L18	1	17 and (time\$2 timestamp\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/07 12:49
L17	1	"6,856,970".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/07 12:49
L16	89	15 and @ad<="20031106"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/07 12:49
L5	2	3 and (time\$2 timestamp\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/07 12:49
L15	103	14 not 6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/07 12:07
L14	103	13 not 10	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/07 12:07
L13	168	process\$4 near5 (document\$2 message\$2) near5 (sequence\$2 order\$2) same (regardless (timestamp\$2 (time adj stamp\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/07 12:07
L10	65	process\$4 near5 (document\$2 message\$2) near5 (sequence\$2 order\$2) near6 (regardless (timestamp\$2 (time adj stamp\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/07 12:06
L12	46	11 not 8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/07 10:59
L11	46	10 not 6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/07 10:59
L8	8	process\$4 same (document\$2 message\$2) same (sequence\$2 order\$2) same regardless same (timestamp\$2 (time adj stamp\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/07 10:58

L9	0	8 not 7	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/07 10:52
L7	1734	process\$4 same (document\$2 message\$2) same (sequence\$2 order\$2) same (regardless timestamp\$2 (time adj stamp\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/07 10:52
L6	70	process\$4 same (time\$2 near3 sequen\$4) same (timestamp\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/07 10:50
L4	1	2 and (time\$2 timestamp\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/07 09:28
L3	2	1 2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/07 09:28
S82	43	S81 and @ad<="20021217"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/07 09:22
L2	1	"6,714,979".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/07 09:22
L1	1	"6,671,701".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/07 09:22
S81	64	S80 and (stor\$4 same instance\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/06 14:12
S80	148	S79 and table\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/06 14:05
S79	193	S78 and (creat\$4 same (instance\$2 object\$2 class\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/06 14:05
S78	439	(request\$4 near5 (data near3 type\$2)) same (defin\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/06 14:04

S77	9	S76 and @ad<="20001031"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/06 14:03
S76	48	S75 and (document\$2 near5 creat\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/06 10:40
S75	245	S74 and (web-based (web near3 based))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/06 10:39
S74	877	back near3 office near3 (system computer server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/06 10:38
S73	7688	709/223,229,246.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/06 10:38
S72	1296	715/511,530.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/06 10:34
S71	4320	705/1.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/06 10:34
S70	8617	707/9,10,203,200.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/06 10:34
S28	5435	709/223,229,246.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/06 10:34
S27	946	715/511,530.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/06 10:34
S26	2761	705/1.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/06 10:34
S24	0	.707/9,10,203,200.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/06 10:34

S69	47	S68 and @ad<="20001030"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/13 14:12
S68	178	S67 and ((order near3 confirmation) (order near3 delivery) (invoice) ((product inventory) near3 update\$2) ((customer information) near3 update\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/13 14:11
S63	2149	((order near3 confirmation) and (order near3 delivery) and (invoice) ((product inventory) near3 update\$2)and ((customer information) near3 update\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/13 14:11
S67	357	S66 and ((document\$2 file\$2 data) near4 type\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/13 14:10
S66	457	S65 and type\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/13 14:10
S65	467	web-based and ((document\$2 file data) same timestamp\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/13 14:10
S64	37	S63 and ((document near4 type\$2) and timestamp\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/13 14:09
S51	2149	((order near3 confirmation) and (order near3 delivery) and (invoice) ((product inventory) near3 update\$2)and ((customer information) near3 update\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/13 10:30
S62	7	S61 and (timestamp\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/13 10:26
S61	31	((order near3 confirmation) and (order near3 delivery) and (invoice) and ((product inventory) near3 update\$2)and ((customer information) near3 update\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/13 10:26
S60	0	((order near3 confirmation) same (order near3 delivery) same (invoice) same ((product inventory) near3 update\$2) same ((customer information) near3 update\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/13 10:10

S54	39	S53 and web\$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 17:21
S53	117	S50 and @ad<="20001030"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 17:17
S50	355	(document near5 type\$2) same ((order near3 confirmation) (order near3 delivery) (invoice) ((product inventory) near3 update\$2) ((customer information) near3 update\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 17:16
S52	4	(document near3 type\$2) same ((order near3 confirmation) and (order near3 delivery) and (invoice) ((product inventory) near3 update\$2)and ((customer information) near3 update\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 17:14
S48	1	S43 and (database\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 17:00
		S43 and (internet\$2 web\$5 (web near3 (page\$2 site\$2 application\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 16:45
S47	1	S46 and (internet\$2 web\$5 (web near3 (page\$2 site\$2 application\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 14:06
S46	1	"6714979".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 14:06
S45	1	S44 and web\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 14:06
S44	1	S43 and (internet\$2 web\$5 (web near3 (page\$2 site\$2 application\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 14:06
S43	1	"6671701".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 13:34

S42	2	("6671701" "6714979").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 14:47
		("6671701" "6714979").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 14:47
S14	2	S3 and (error\$2 warn\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:44
S4	1	S2 and (port)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:43
S13	2	S12 and (multi-port\$2 port\$2 (multiple near3 port\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:33
S12	8	("5428645" "5689688" "5550873" "5784421" "6055639" "5991771" "6078930" "6647400").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:32
S11	38	S10 and (compar\$4 and timestamp\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:30
S10	474	(updat\$4 near4 (file document)) and (multi-port\$2 (multiple near3 port\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:28
S9	52	S5 and (multi-port\$2 ports (multiple near3 port\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:27
S8	146	((updat\$4 near4 (file document))) and (compar\$4 same (((document file) near3 type) and (id identification name))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:27
S6	57	S5 and (multi-port\$2 port\$2 (multiple near3 port\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:27
S5	145	((updat\$4 near4 (file document))) and (compar\$4 same (((document file) near3 type) and (id identification name)))) and (time timestamp)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:27

S7	2	S5 and (multi-port\$2 (multiple near3 port\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:25
S36	144	((updat\$4 near4 (file document))) and (compar\$4 same ((document file) near3 type) and (id identification name))) and (time timestamp)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:22
S3	2	S1 S2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:18
S40	1	"6714979".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:17
S37	1	"6671701".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:17
S2	1	"6714979".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:17
S1	1	"6671701".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:17
S41	1	"6714979".pn. and (thread\$4 multi-thread\$4 (multi near3 thread\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 20:15
S39	0	("6671701".pn. and queue\$4) and (thread\$4 multi-thread\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 20:15
S38	1	"6671701".pn. and queue\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 20:14
S35	144	((updat\$4 near4 (file document))) and (compar\$4 same ((document file) near3 type) and (id identification name)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 19:02
S34	18462	(updat\$4 near4 (file document))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 18:58

S33	228	(((((((message\$2 file\$2 document\$2) same (time timestamp\$2 date) same (type (document near3 type) (primary near3 (key code))) same (id\$2 identification ((file document message) near3 (name id identification)))))) and updat\$4) and compar\$6) and database\$2) and (multi-thread\$3 thread\$2)) not (((((((message\$2 file\$2 document\$2) same (time timestamp\$2 date) same (type (document near3 type) (primary near3 (key code))) same (id\$2 identification ((file document message) near3 (name id identification)))))) and updat\$4) and compar\$6) and database\$2) and (multi-thread\$3 thread\$2)) and queue\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 18:56
S32	1724	(timestamp\$2 and ((primary near2 (key code)) (file near2 (name type))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 18:45
S31	4	(inbound same (timestamp\$2 and ((primary near2 (key code)) (file near2 (name type))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 18:44
S30	262	(((((((message\$2 file\$2 document\$2) same (time timestamp\$2 date) same (type (document near3 type) (primary near3 (key code))) same (id\$2 identification ((file document message) near3 (name id identification)))))) and updat\$4) and compar\$6) and database\$2) and (multi-thread\$3 thread\$2)) and queue\$4) and synchroniz\$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 18:38
S29	217	(((((((message\$2 file\$2 document\$2) same (time timestamp\$2 date) same (type (document near3 type) (primary near3 (key code))) same (id\$2 identification ((file document message) near3 (name id identification)))))) and updat\$4) and compar\$6) and database\$2) and (multi-thread\$3 thread\$2)) and queue\$4) and synchroniza\$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 15:58

S23	407	(((((((message\$2 file\$2 document\$2) same (time timestamp\$2 date) same (type (document near3 type) (primary near3 (key code))) same (id\$2 identification ((file document message) near3 (name id identification)))))) and updat\$4) and compar\$6) and database\$2) and (multi-thread\$3 thread\$2)) and queue\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 15:57
S25	6447	707/9,10,203,200.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 15:49
S22	635	(((((((message\$2 file\$2 document\$2) same (time timestamp\$2 date) same (type (document near3 type) (primary near3 (key code))) same (id\$2 identification ((file document message) near3 (name id identification)))))) and updat\$4) and compar\$6) and database\$2) and (multi-thread\$3 thread\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 15:45
S21	3102	(((((((message\$2 file\$2 document\$2) same (time timestamp\$2 date) same (type (document near3 type) (primary near3 (key code))) same (id\$2 identification ((file document message) near3 (name id identification)))))) and updat\$4) and compar\$6) and database\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 15:44
S20	4535	(((message\$2 file\$2 document\$2) same (time timestamp\$2 date) same (type (document near3 type) (primary near3 (key code))) same (id\$2 identification ((file document message) near3 (name id identification)))) and updat\$4) and compar\$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 15:42
S19	5986	(((message\$2 file\$2 document\$2) same (time timestamp\$2 date) same (type (document near3 type) (primary near3 (key code))) same (id\$2 identification ((file document message) near3 (name id identification)))) and updat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 15:40

S18	9497	((message\$2 file\$2 document\$2) same (time timestamp\$2 date) same (type (document near3 type) (primary near3 (key code))) same (id\$2 identification ((file document message) near3 (name id identification))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 15:40
S17	27959	((message\$2 file\$2 document\$2) same (type (document near3 type) (primary near3 (key code))) same (id\$2 identification ((file document message) near3 (name id identification))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 15:39
S16	22694	((message\$2 file\$2 document\$2) same (type (document near3 type) (primary near3 (key code))) same (id\$2 identification))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 15:37
S15	252197	((message\$2 file\$2 document\$2) same (type (document near3 type) (primary near3 (key code)) (id\$2 identification)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 15:36